

# IBM GoVault Backup/Restore Tape Drive delivers daily backup capability for low-end servers and workstations

#### Overview

The new GoVault Backup/Restore Option offers a cost-effective solution for IBM @server\* xSeries® server customers looking for an efficient low-cost backup/restore device. This single drive has 80 GB² capacity, up to 160 GB if you have a software compression utility. This new drive complements the xSeries server line.

This backup/restore drive uses a reliable HDD embedded in a removable cartridge then married to a Serial ATA interface carrier. It delivers convenience and ease-of-use features, while supporting high-speed backup and up to 160 GB of data storage when coupled with software compression utilities<sup>3</sup>.

Normally reserved for more expensive backup/restore devices, IBM offers the following features as standard on this GoVault drive:

- Up to 38 MB/s native transfer rate
- Up to 80 GB<sup>2</sup> native capacity.
- Removable disk technology.
- · Hot-plug capability.
- 5.25-inch form factor, convertible to 3.5-in form factor in certain configurations.
- 12.5 ms access speed.
- Limited one-year warranty: One year on parts and zero labor, unless installed in a rack or server when purchased. Then it carries same warranty as enclosure or server.

#### GoVault 80 GB Cartridge

This 80 GB cartridge has a file system and looks like a disk drive to the host.

#### Features include:

- Cartridge can be used like tape media.
- Cartridge can be removed from carrier.
- Cartridges are fully read/write compatible between GoVault carriers.
- Limited one-year warranty: One year on parts and zero labor
- For information on IBM's Statement of Limited Warranty, contact your local IBM representative or reseller. Copies are available upon request.
- When referring to drive capacity, GB stands for one thousand million bytes and TB stands for one trillion bytes. Total user-accessible capacity may vary depending on operating environments.
- Based on using software data compression and assuming a 2:1 compression ratio. Data compression is dependent on many factors and is often less than stated.

#### **Key prerequisites**

A dedicated (and supported) SATA 2 channel

#### Product number

For details, refer to the Product number section in this announcement.

#### Planned availability date

April 27, 2006

# At a glance

# IBM GoVault Backup/Restore Tape Drive

This new backup/restore drive brings performance, capacity, and 5.25-inch form factor to low-range eServer® xSeries servers and IntelliStations.

#### Key features include:

- Up to 80 GB native capacity, up to 160 GB using software compression
- Up to 38 MB/s backup rate and up to 76 MB/s using software compression utilities
- Functions with leading operating systems and popular backup software
- 12.5 ms access speed
- SATA-2 interface
- Cartridge removable from system and acts like an HDD
- One-year, limited warranty<sup>1</sup>

# GoVault 80 GB Cartridge

Hot plug interconnect, used like tape media, random access, 80 GB native capacity

This announcement is provided for your information only. For additional information, contact your IBM representative, call 800-IBM-4YOU, or visit the IBM home page at: http://www.ibm.com.

# **AP** distribution

To all Asia Pacific countries for release.

Country/Region	Announced
Asean * Austrialia Hong Kong PRC Taiwan Korea Japan New Zealand	Yes Yes Yes Yes Yes Yes Yes Yes

\* Bangladesh, Brunei, Myanmar, Sri Lanka, India, Indonesia, Malaysia, Philippines, Singapore, Thailand, Vietnam

# **Description**

This higher-density backup/restore unit is ideal for creating cost-effective, automated tape backup solutions to satisfy moderate capacity data storage requirements.

This drive provides convenience and ease-of-use features:

- · Improved cartridge load mechanism
- SATA interface
- One-year limited warranty<sup>3</sup>
- Data storage
  - 80 GB native capacity
  - 160 GB with software compression utilities
- · Backup rates up to
  - 38 MB/s native 136.8 GB/hr
  - 76 MB/s compressed 273.6 GB/hr

# **Product positioning**

This GoVault product joins the current tape drive family to create a complete family of backup solutions.

These products offer the breadth of performance and capacity solutions that satisfy your xSeries server backup requirements. These drives are also positioned similar to the DAT tape drives but offer higher capacity and transfer speeds at comparable costs.

**Additional information:** All offers are subject to availability. IBM reserves the right to alter product offerings and specifications at any time without notice. IBM is not responsible for photographic or typographic errors.

IBM makes no representation or warranty regarding third-party products or services.

Product number			
Description	Part number		
IBM GoVault Backup/Restore Drive IBM GoVault 80 GB Cartridge	25R0006 39M5617		

#### Trademarks

xSeries and eServer are registered trademarks of International Business Machines Corporation in the United States or other countries or both.

Other company, product, and service names may be trademarks or service marks of others.

AG06-0279 -2-



# IBM Asia Pacific Announcement Supplemental Information

April 25, 2006

#### Product name

- IBM GoVault Backup/Restore Tape Drive Option (25R0006)
- IBM GoVault 80 GB Cartridge (39M5617)

To order please specify part number.

Publications		
	Part number	
IBM GoVault Tape Drive User Guide IBM GoVault Tape Drive Warranty Guide	25R0033 25R0034	

#### Technical information

#### Performance specifications

- 12.5 ms access and fast I/O
- Native capacity 80 GB /160 GB capacity with software compression utilities
- FAT 32 or NTFS file system
- Works with OS
- Cartridge fully R/W compatible with other GoVault cartridges

#### Physical specifications

Approximate height: 41.4 mm (1.66 in)
Approximate width: 120.0 mm (4.72 in)
Approximate depth: 167.0 mm (6.57 in)

#### Operating environment

Temperature: 10° to 40°C (50° to 105°F)

Relative humidity: 20% to 80%, non-condensing

#### Agency approvals

- UL 1950
- cUL
- CSA 950
- CE
- C-Tick
- CISPR 22 Class A
- VCCI Class 2
- FCC Class A
- CE-Mark
- TUV

#### ENERGY STAR-compliant: No

**Note:** The ENERGY STAR emblem does not represent EPA endorsement of any product or service.

#### Hardware requirements

*IBM systems:* The IBM GoVault Drive (25R0006) and cartridge are supported on the following IBM platforms:

System name	Machine type	Mode1
IntelliStation(R) IntelliStation IntelliStation IntelliStation XSeries(R) XSeries XSeries XSeries	6127 6218 6223 6225 8482 8485 8490 8648	All All All All All All All

#### Software requirements

- Microsoft™ Windows™ 2003 EE
- Microsoft Windows 2003 EE IA
- Microsoft Windows 2003 EE x64
- Microsoft Windows 2003 SE
- Microsoft Windows 2003 SE x64
- Microsoft Windows XP

Compatibility: None

**Note:** Some configurations may not be compatible. Support configurations change frequently. For latest information, go to

http://www.ibm.com/servers/eserver/serverproven/compat/us/

Limitations: None

#### Planning information

Additional cable orders required: No

Approximate installation time: 30 minutes

#### **Packaging**

Single box

Height: 108 mm (4.25 in)
Depth: 254 mm (10.0 in)
Width: 191 mm (7.5 in)

- Weight: 5.0 lbs

#### Shipment group

- GoVault drive
- Package of mounting screws
- Multi-lingual User Manual CD
- SATA data cable
- Warranty information
- GoVault carrier
- Safety flyer

# Security, auditability, and control

This product uses the security and auditability features of the host hardware, software, and application software.

This announcement is provided for your information only. For additional information, contact your IBM representative, call 800-IBM-4YOU, or visit the IBM home page at: http://www.ibm.com.

#### Product structure

ΑP

Plant		Mfg:	IST(
Plant		Control:	RTP
Plant	of	Distribution:	IST

#### Part numbers for replenishment purpose

SAP order no.	Product type	Seria ized	1- Pick pack		Component part nos.	Comment
25R0006	5	No	No	Yes	SAP Mod	GoVault Drive
39M5617	5	No	No	Yes	SAP Mod	GoVault Cartridge
Unit of measure	Mini ord quan		Distrib locat			
5	1		SDS			

#### Terms and conditions

Field-installable	Yes
Customer setup	Yes
Warranty period(4)	1-year(4)
Service type (CCE/CCR/CRU)	CRÚ
Maintenance agreement	No
Optional upgrade	No
Licensed programs	Yes

(4) To obtain copies of the IBM Statement of Limited Warranty, contact your reseller or call IBM.

**Note:** Programs included with this product are licensed under the terms and conditions of the License Agreements that are shipped with the feature or option.

All other terms and conditions are the same as those applicable to the IBM machine type in which the feature is installed.

International Warranty Service (IWS): IWS is available during the warranty period to customers who travel or relocate to countries where their computer is sold and serviced by IBM or IBM resellers authorized to perform warranty service. Eligible IBM computers are identified by their four-digit machine type.

You can obtain IWS through the method of service, such as depot, carry-in or on-site, provided in the servicing country. Service methods and procedures vary by country, and some service or parts may not be available in all countries. Service centers in certain countries may not able to service all models of a particular machine type. In addition, some countries may have fees and restrictions that apply at the time of service.

To determine the eligibility of your computer and to view a list of countries where service is available, visit

#### http://www.ibm.com/pc/support

Click on the Warranty Lookup tab.

For more information on IWS, refer to Services Announcement AA01-3100, dated September 28, 2001.

# Help and service information — Features and options

During the warranty period, support for a warranty related issue can be obtained by accessing IBM's on-line services (requires internet access account, not included) or calling the IBM Support Center to answer any questions regarding your new IBM option. Response time will vary depending on the number and nature of calls received. If you need warranty service, return or exchange is available. In addition, if your IBM option is installed in an IBM computer, you may be entitled to service at your location. For general questions related to the use of your options, fee-based support is available. Your technical support representative can help you determine the best alternative.

#### Accessing IBM on-line services

http://www.ibm.com/servers/eserver/serverproven/compat/us/

#### Placing the call to IBM

For IBM technical support:

Contact your place of purchase or your local sales office.

# **IBM Electronic Services**

IBM Global Services has transformed its delivery of hardware and software support services to put you on the road to higher systems availability. IBM Electronic Services is a Web-enabled solution that provides you with an exclusive, no-additional-charge enhancement to the service and support on the IBM eServer. You should benefit from greater system availability due to faster problem resolution and preemptive monitoring. IBM Electronic Services is comprised of two separate, but complementary, elements: IBM Electronic Services news page and IBM Electronic Service Agent™.

IBM Electronic Services news page provides you with a single Internet entry point that replaces the multiple entry points traditionally used by customers to access IBM Internet services and support. The news page enables you to gain easier access to IBM resources for assistance in resolving technical problems.

The IBM Electronic Service Agent is a no-additional-charge software that resides on your IBM eServer system. It is designed to proactively monitor events and transmit system inventory information to IBM on a periodic, customer-defined timetable. The IBM Electronic Service Agent tracks system inventory, hardware error logs, and performance information. If the server is under a current IBM maintenance service agreement or within the IBM warranty period, the Service Agent automatically reports hardware problems to IBM.

Early knowledge about potential problems enables IBM to provide proactive service that maintains higher system availability and performance. In addition, information collected through the Service Agent will be made available to IBM service support representatives when they are helping answer your questions or diagnosing problems.

To learn how IBM Electronic Services can work for you, visit

#### http://www.ibm.com/support/electronic

AG06-0279 -2-

# **Prices**

For all local charges, contact your IBM Representative.

#### FRU Parts

Field Replaceable Units (FRU)

Description	FRU Part∦ 
IBM GoVault Cartridge	25R0038
IBM GoVault carrier	25R0037
IBM SATA cable	26K1186
Mounting screws	42C3933

Note: Not all products are available in all countries.

# **IBM Global Financing**

IBM Global Financing offers competitive financing to credit-qualified customers to assist them in acquiring IT solutions. Offerings include financing for IT acquisition, including hardware, software, and services, both from IBM and other manufacturers or vendors. Offerings (for all customer segments: small, medium, and large enterprise), rates, terms, and availability can vary by country. Contact your local IBM Global Financing organization or visit

#### http://www.ibm.com/financing

IBM Global Financing offerings are provided through IBM Credit LLC in the United States and other IBM subsidiaries and divisions worldwide to qualified commercial and government customers. Rates are based on a customer's credit rating, financing terms, offering type, equipment type and options, and may vary by country. Other restrictions may apply. Rates and offerings are subject to change, extension or withdrawal without notice.

#### Trademarks

Electronic Service Agent is a trademark of International Business Machines Corporation in the United States or other countries or both.

IntelliStation, xSeries, eServer and ServerProven are registered trademarks of International Business Machines Corporation in the United States or other countries or both. Microsoft and Windows are trademarks of Microsoft Corporation.

Other company, product, and service names may be trademarks or service marks of others.

AG06-0279

-3-